MATERIAL SAFETY DATA SHEET			March 1, 2010		1, 2010	
BIRD-X, INC 300 North Oakley Blvd Chicago, IL 60612 312-226-2473		IN EMERGENCY CONTACT: INFOTRAC: 800-535-5053 Outside USA: 352-353-3500				
SECTION I PRODUCT NAME: B-X SAFE	PRODUCT IDENTIFICATION TY SOLVENT CLEANER	1	NFPA:		H=1 F=2 R=0	
COMPONENTS 1. Aromatic Hydrocarbons 2. Glycol Ether EB		nich has been	<u>ACGIH 7</u> > 20% 1-4%	<u>TLV</u>	OTHER LIMITS RECOMMENDED CAS# 64742-96-6 CAS# 111-76-2 ous within OSHA's Hazard Communication	
SECTION III BOILING POINT: VAPOR DENSITY: AIR=1 SPECIFIC GRAVITY: H ₂ O=1 EVAPORATION RATE: Butyl A APPEARANCE AND ODOR:		290°F 3.4 0.93 0.01 s to amber lic	quid, solver	SOLUBI MELTIN pH:	PRESSURE (mm Hg): @ 25°C LITY IN WATER: g/100g @ 68°F G POINT: h odor mask.	0.078 Complete. NA 7.8
SECTION IV FIRE, EXPLOSION AND REACTIVITY INFORMATION FLASH POINT (AND TEST METHOD): PMCC. 130°F FLAMMABLE LIMITS: Autoignition temperature 900°F LEL: 1.1% UEL: 8.6% EXTINGUISHING MEDIA: Water, CO2, dry powder, foam SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus with full facepiece operated in the positive pressure demand mode. Normal combustion causes CO2 and water vapor. Incomplete combustion can form CO. UNUSUAL FIRE AND EXPLOSION HAZARDS: Do not weld on or near drums even if empty. Vapors are heavier than air and may travel along the ground to a pilot light or other flame at a distant location. INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing agents hypochlorites, chlorine. HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Normal combustion, CO2 and water vapor. Incomplete combustion, CO and toxic materials. STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur.						
SECTION V HEALTH HAZARD INFORMATION ROUTES OF ENTRY: Inhalation, Skin, Ingestion HEALTH HAZARDS (ACUTE AND CHRONIC): PROLONGED INHALATION OF VAPORS: Nausea, drowsiness, lightheadedness (Narcosis) SKIN: Local irritation, dryness, chapping or dermatitis INGESTION: Diarrhea, nausea, cramps. Unconsciousness and death in extreme cases EYES: Irritation						
CARCINOGENICITY NTP: None known IARC MONOGRAPHS: None OSHA REGULATED: No MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Possibly pre-existing skin or respiratory disorders. EMERGENCY AND FIRST AID PROCEDURES INHALATION: Remove to fresh air SKIN: Flush completely with water INGESTION: Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head below hips to prevent aspiration to lungs. Get medical help. EYES: Flood with water for 15 minutes while holding eyelids open. Remove contact lenses if worn. Get medical help.						
SECTION VI ENVIRONMENTAL PROTECTION INFORMATION STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Absorb with sand, diatomaceous earth, rice hull ash, or other absorbent material. Or dilute with water to acceptable waste water ratio. Or contain with temporary dam and collect spill for reuse. Turns milky white when mixed with water.						
WASTE DISPOSAL METHOD: Small spill: Absorb as above or ri Large spill: Observe waste water		perly.				
SECTION VII CONTROL MEASURES RESPIRATORY PROTECTION: If concentration of vapors exceeds TLV limits, increase ventilation or use respirator. VENTILATION: Use local exhaust if needed. Adequate ventilation required. PROTECTIVE GLOVES: Nitrile recommended. Neoprene OK. EVE PROTECTION: Chemical safe goggles if aves exposed to splashing.						

EYE PROTECTION: Chemical-safe goggles if eyes exposed to splashing. OTHER PROTECTIVE EQUIPMENT: Impervious clothing or boots.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling: under rings and watchbands also.

SECTION VIII SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS: Store in a cool place. May turn cloudy if stored above 100F. Combustible product. Avoid sparks and open flame. OTHER PRECAUTIONS: Keep containers closed when not in use. Keep product away from vegetation unless well diluted. Do not transfer into unmarked containers.